## Recommended Vaccine Schedule FOR Adult Horses

Based on American Association of Equine Practitioners (AAEP) Vaccination Guidelines<sup>1</sup>

Adult horses require protection from the potentially fatal core diseases through annual vaccination and should also receive risk-based vaccinations to protect them from common diseases they may encounter depending on your geographic location, travel plans, and amount of horse to horse

West Nile Virus (WNV)

Eastern Equine Encephalmomyelitis (EEE)

Western Equine Encephalomyelitis (WEE)

socialization.



EVA: Annual booster every 12 months and not less than 3 to 4 weeks prior to breeding Breeding stallions, unvaccinated or having unknown vaccine history: All first-time vaccinated stallions should be isolated for 3 weeks following vaccination before being used

Teaser stallions: Vaccination against EVA is

recommended on an annual basis

for breeding.

## **CORE VACCINATIONS:**

Protection from diseases that are endemic to a region, those with potential public health significance, required by law, highly infectious, or pose a risk of severe disease and death.

| Disease                       | Vaccine            | Schedule                                    |
|-------------------------------|--------------------|---|
| Tetanus Wost Nilo Virus (WNV) | CORE EQ INNOVATOR® | Annual revaccination: Recommended in spring |

## **RISK-BASED VACCINATIONS:**

Protection from diseases which your horse may be more likely to encounter depending on where you live, your travel plans, and amount of socialization selected for use based on risk assessment performed by, or in consultation with, a licensed veterinarian.

|   | Rabies   |                              |   |
|---|--|------------------------------|---|
|   | Equine Influenza (EIV) FLUVAC Equine Herpesvirus (EHV-1 and EHV-4) EHV-4/1 | FLUVAC INNOVATOR®<br>EHV-4/1 | Annual revaccination:<br>Recommended in spring                          |
|   |  | <b>,</b> .                   | Horses at increased risk of exposure may receive booster every 6 months |
| : | Leptospirosis  | LEPTO EQ INNOVATOR®          | Annual revaccination based on risk                                      |
|   | Strangles Streptococcus equi   | PINNACLE® I.N.               | Annual revaccination based on risk                                      |
|   | Equine Viral Arteritis (EVA)   | ARVAC®                       | Breeding stallions previously vaccinated against                        |

Consult your veterinarian to develop a vaccination program to protect your foal.

All trademarks are the property of Zoetis Services LLC or a related company or a licensor unless otherwise noted. © 2023 Zoetis Services LLC. All rights reserved. COR-00228



<sup>&</sup>lt;sup>1</sup> The American Association of Equine Practitioners. Vaccination Guidelines. Available at https://aaep.org/guidelines/vaccination-guidelines. Accessed on June 26, 2023.