



Care for them with confidence



Convenient and consistent oral sedation

Dormosedan[®] Gel (*detomidine hydrochloride*) is the oral formulation of the #1 veterinarian–trusted equine sedative¹ and the only FDA–approved oral sedative of its kind that reliably keeps horses calm and helps handlers stay safe.



Compassionate care with confidence

For routine horse care and husbandry procedures where horses may become anxious and difficult to work with, Dormosedan Gel can provide a safe solution.



Mild-standing sedative available with a veterinarian's prescription



Helps facilitate a calm experience for both horses and handlers when a veterinarian cannot be present



Easy-to-use, single-dose syringe administered **under the horse's tongue**

A safe alternative to physical restraints prior to stressful situations and before a wide variety of procedures:



ADMINISTRATION AND

STEP ONE

Use impermeable gloves when handling the product.

Remove the horse's access to all food and water sources.

Remove the syringe from the outer carton.

While holding the plunger, turn the ring-stop on the plunger until the ring slides freely up and down the plunger.



STEP TWO

Position the ring so that the side nearest the barrel is at the desired volume marking (see dosing information).

Turn the ring to secure it in place. Test the ring to ensure it does not slide.

Make sure the horse's mouth contains no feed.



Easy-to-use, single-dose syringe



DOSING INFORMATION

STEP THREE

Remove the cap and place the syringe tip into the corner of the horse's mouth **underneath** the tongue.

Depress the plunger until the ring-stop contacts the barrel, depositing the product beneath the tongue.

STEP FOUR

Take the syringe out of the horse's mouth, recap and return it to the outer carton for disposal.

Remove and discard gloves.

Place the horse in a safe, quiet area for a minimum of 40 minutes while the sedation takes effect.

Withhold food and water until the sedative effects wear off.

Ranked #1 in ease of administration

among pain and sedation products by veterinarians¹



A helping hand when you need it

"The safety of both horses and handlers is so important. Dormosedan Gel offers easy administration for owners and delivers a longlasting sedative effect for horses. It helps me perform my job confidently and safely with just a single dose."

Dustin Shuck, Farrier – Tipton, IN



Onset of sedation





DOSING GUIDE

Approximate body weight (lbs)	Dose volume (mL)
330-439	1.00
440-549	1.25
550-659	1.50
660-769	1.75
770-879	2.00
880-989	2.25
990–1,099	2.50
1,100–1,209	2.75
1,210–1,320	3.00

SCAN THE QR CODES TO LEARN MORE



Product information and resources



Watch how to dose and administer



The only oral equine sedative for reliably calm care

Visit us at DormGel.com for more information and follow us on our social networks.



0 @zoetisequine



IMPORTANT SAFETY INFORMATION

Do not use DORMOSEDAN GEL in horses with pre-existing atrioventricular (AV) or sinoatrial (SA) block, with severe coronary insufficiency, cerebrovascular disease, respiratory disease, or chronic renal failure. Do not use in anesthetized or sedated horses, or in conditions of shock, severe debilitation or stress due to extreme heat, cold, fatigue or high altitude. Handle gel-dosing syringes with caution to avoid direct exposure to skin, eyes or mouth. See full Prescribing Information attached or at DormGel.com/PI.

References

1. Zoetis Inc. Data on file. Equine pain and sedation market research. October 2023.

All trademarks are the property of Zoetis Services LLC or a related company or a licensor unless otherwise noted. Dormosedan is a registered trademark of Orion Corporate, distributed by Zoetis under license. ©2025 Zoetis Services LLC. All rights reserved. DOR-00128

